



git

Git History


- Came out of Linux development community
- Linus Torvalds, 2005
- Initial goals:
 - Speed
 - Support for non-linear development (thousands of parallel branches)
 - Fully distributed
 - Able to handle large projects like Linux efficiently

SCM Terminologies

- Server/Client
- Repository
- Workspace
- Branch
- Checkin/Checkout
- Revision
- Baseline


Distributed version control system

Centralized Model



(CVS, Subversion, Perforce)

Distributed Model




(Git, Mercurial)


Result: Many operations are local

Git takes snapshots


Subversion




Git



Git uses checksums




A Local Git project has three areas



Note: working directory sometimes called the “working tree”, staging area sometimes called the “index”.

Git file lifecycle

File Status Lifecycle



Aside: So what is github?

- [GitHub.com](https://github.com) is a site for online storage of Git repositories.
- Many open source projects use it, such as the [Linux kernel](https://www.kernel.org/).
- You can get free space for open source projects or you can pay for private projects.


Question: Do I have to use github to use Git?

Answer: No!

- you can use Git completely locally for your own purposes, or
- you or someone else could set up a server to share files, or
- you could share a repo with users on the same file system, such as we did for homework 9 (as long everyone has the needed file permissions).

Basic Workflow

Commands Sequence



Get ready to use Git!

1. Set the name and email for Git to use when you commit:

```
$ git config --global user.name "Bugs Bunny"
```

```
$ git config --global user.email bugs@gmail.com
```

```
$ git config --global push.default simple
```

1. You can call `git config --list` to verify these are set.
2. These will be set globally for all Git projects you work with.
3. You can also set variables on a project-only basis by not using the `--global` flag.
4. You can also set the editor that is used for writing commit messages:

```
$ git config --global core.editor emacs (it is vim by default)
```

Repositories

- bare repository
 - contains the version control information and no working files
 - by convention the name of a bare repository should end with the .git extension

\$ git init --bare
- Non-bare repository
 - These are regular user repository which has the working files & .git dir
- Creating a new repository
 - \$ git init**
 - \$ git clone <remote> <local>**

Git commands

command	description
<code>git clone <i>url</i> [<i>dir</i>]</code>	copy a git repository so you can add to it
<code>git add <i>files</i></code>	adds file contents to the staging area
<code>git commit</code>	records a snapshot of the staging area
<code>git status</code>	view the status of your files in the working directory and staging area
<code>git diff</code>	shows diff of what is staged and what is modified but unstaged
<code>git help [<i>command</i>]</code>	get help info about a particular command
<code>git pull</code>	fetch from a remote repo and try to merge into the current branch
<code>git push</code>	push your new branches and data to a remote repository
others: <code>init</code> , <code>reset</code> , <code>branch</code> , <code>checkout</code> , <code>merge</code> , <code>log</code> , <code>tag</code>	

Add, Status and Diff

- To add changes to the staging area :

```
$ git add <file>
```

- To view the **status** of your files in the working directory and staging area:

```
$ git status
```

or

```
$ git status -s
```

(-s shows a short one line version similar to svn)

- To see what is modified but unstaged:

```
$ git diff
```

Pulling and Pushing

Good practice:

- 1.Add** and **Commit** your changes to your local repo
 - 2.Pull** from remote repo to get most recent changes (fix conflicts if necessary, add and commit them to your local repo)
 - 3.Push** your changes to the remote repo
-

To fetch the most recent updates from the remote repo:

```
$ git pull origin master
```

To push your changes from your local repo to the remote repo:

```
$ git push origin master
```

Notes: **origin** = an alias for the URL you cloned from

master = the remote branch you are pulling from/pushing to,
(the local branch you are pulling to/pushing from is your current branch)

Ignoring files & Viewing logs

Ignoring certain files and directories

- **.gitignore**
- Git never ignores files which are already tracked, so changes in the .gitignore file only affect new files
- Commit the .gitignore to the Git repository

File version

\$ git log

\$ git log --oneline --grep "workspace"

\$ git shortlog

\$ git log -1

Branching

To create a branch called experimental:

- `$ git branch experimental`

To list all branches: (* shows which one you are currently on)

- `$ git branch`

To switch to the experimental branch:

- `$ git checkout experimental`

Difference between branches:

- `$ git diff master <your_branch>`

Merge branches :

- `$ git merge <source_branch> <destination_branch>`

Stashing committed changes

creates stash, remove changes from working dir:

- `$ git stash`

To list all stash available for the repository :

- `$ git stash list`

Reapply the changes, remove stash:

- `$ git stash pop`

Apply a specific stash from repo:

- `$ git stash apply stash@{num}`

Remove stash from repo

- `$ git stash clear`

Reverting changes

Revert uncommitted changes:

- `$ git reset <file>`

Move only to HEAD pointer:

- `$ git reset --soft`

Move the HEAD pointer & reset the staging area (default):

- `$ git reset --mixed`

Move the HEAD pointer, resets staging area & working tree to the new HEAD:

- `$ git reset --hard`

Reverting changes ...

Revert a commit:

- `$ git revert <commit>`

Checkout specific commit:

- `$ git checkout <commit_id>`

Deleting a file:

- `$ git rm <file>`

Removing untracked file:

- `$ git clean -n` (-n is for dry run)
- `$ git clean -f` (force delete)

Discard changes in working directory

- `$ git checkout -- <file>`

Tags

Git has the option to *tag* a commit in the repository history so that you find it easier at a later point in time

Apply tag to a commit:

- `$ git tag -a <pattern> -m 'comment' <commitid>`

Contents of the tag:

- `$ git show <pattern>`

Display list of tags available:

- `$ git tag`

Delete a tag:

- `$ git tag -d <tag>`

SVN vs. Git

- SVN:
 - central repository approach – the main repository is the only “true” source, only the main repository has the complete file history
 - Users check out local copies of the current version
- Git:
 - Distributed repository approach – every checkout of the repository is a full fledged repository, complete with history
 - Greater redundancy and speed
 - Branching and merging repositories is more heavily used as a result

Do This:

1. `$ git config --global user.name "Your Name"`
2. `$ git config --global user.email youremail@whatever.com`
3. `$ git clone https://github.com/rea2000/santalist.git`

Then try:

1. `$ git log, $ git log --oneline`
 2. Create a file named `userID.txt` (e.g. `rea.txt`)
 3. `$ git status, $ git status -s`
 4. Add the file: `$ git add userID.txt`
 5. `$ git status, $ git status -s`
 6. Commit the file to your local repo:
`$ git commit -m "added rea.txt file"`
 7. `$ git status, $ git status -s, $ git log --oneline`
- *WAIT, DO NOT GO ON TO THE NEXT STEPS UNTIL YOU ARE TOLD TO!!**
1. Pull from remote repo: `$git pull origin master`
 2. Push to remote repo: `$git push origin master`